



# Low Voltage: MR-11 Bullet Spot Lights

## Solid Brass – Architectural Models



- Detail Specifications:**
- Finish: Oil Rubbed Bronze or Matte Black
  - Housing: Corrosion Resistant Solid Brass
  - Lamp Type:
    - MR-11 12V (not included)
    - 35W Halogen Max
    - LED bulbs available
  - IP Rating: Wet Location IP65
  - Lens: Clear glass

- Applications:**
- Landscape
  - Walkways & Pathways
  - Security Lighting
  - Hospitality, Multi-Family
  - Outdoor Corridors
  - General Outdoor Lighting
  - Residential, Commercial

- Product Information:**
- Heat resistant glass lens
  - Fully adjustable knuckle for precise control
  - Water tight silicone ring for waterproofing
  - Packaging: Retail color box
  - Master Box Quantity: 10Pcs.

- Driver Options:**
- Compatible with 12V Low Voltage Drivers

- Mounting & Installations:**
- Wire: 6' (72") SPT-1W 18 gauge wire lead
  - Bracket: Adjustable 180° bracket
  - Spike: 8.5" Non-metallic spike included
    - Optional brass spike available

- Warranty:**
- Lifetime Anti-Corrosion Warranty

Oil Rubbed Bronze Models	Matte Black Models	1 Bulb Option (Not Included)
BLT-BR-ORB-12V-1	BLT-BR-MBL-12V-1	LED-MR11-2.5W-27K-38D-BL 220lm • 38°
		LED-MR11-2.5W-30K-38D-BL 220lm • 38°
		LED-MR11-3W-30K 280lm • 40° • 20W Equivalent
		LED-MR11-3W-50K 280lm • 40° • 20W Equivalent


Optional Accessories on Page 3

Specs and model numbers are subject to change with or without notice. Customization of product is available.

## FEATURES



## DIMENSIONS



### ACCESSORIES



MR11-2.5W



MR11-3W



STK-HD-1/2-BR



SM-1/2-BR-ORB



SM-1/2-BR-MBL



SM-1/2-ALM-BZ




SM-1/2-ALM-BL



SM3-1/2-BR-ORB



SM3-1/2-BR-MBL



STKC-1/2-BR-ORB



STKC-1/2-BR-MBL



GM-1/2-BR-SS



GM-1/2-ALM-BZ



GM-1/2-ALM-BL

Model	Voltage	Finish	Bulb
BLT-BR-ORB-12V-1	12V	Oil Rubbed Bronze	MR-11
BLT-BR-MBL-12V-1	12V	Matte Black	MR-11

### BULBS

Model	Voltage	Watts	Lumens	Color
LED-MR11-2.5W-27K-38D-BL	12V	2.5w	220	2700k
LED-MR11-2.5W-30K-38D-BL	12V	2.5w	220	3000k
LED-MR11-3W-30K	12V	3w	280	3000k
LED-MR11-3W-50K	12V	3w	280	5000k

### STAKE

Model	Voltage
STK-HD-1/2-BR	Brass Stake 10" Heavy Duty

### SURFACE MOUNT

Model	Description
SM-1/2-BR-ORB	Brass Stake 10" Heavy Duty (Oil Rubber Bronze)
SM-1/2-BR-MBL	Brass 1/2" Surface Mount (Matte Black)
SM-1/2-ALM-BZ	Aluminum 1/2" Surface Mount (Bronze)
SM-1/2-ALM-BL	Aluminum 1/2" Surface Mount (Black)

### TREE MOUNT

Model	Description
SM3-1/2-BR-ORB	Brass Stake 10" Heavy Duty (Oil Rubber Bronze)
SM3-1/2-BR-MBL	Brass 1/2" Surface Mount (Matte Black)

### STAKE COVER

Model	Description
STKC-1/2-BR-ORB	Brass Stake Cover(Oil Rubbed Bronze)
STKC-1/2-BR-MBL	Brass Stake Cover(Matte Black)

### GUTTER MOUNT

Model	Description
GM-1/2-BR-SS	Brass Gutter Mount (Stainless Steel)
GM-1/2-ALM-BZ	Aluminum Gutter Mount (Bronze)
GM-1/2-ALM-BL	Aluminum Gutter Mount (Black)