

Project: \_\_\_\_\_

Part#: \_\_\_\_\_

Type: \_\_\_\_\_

## 4/6/8" Cusp Disk



The EnVision AC Cusp disk can be used in new construction and remodel applications. EnVisions new disk uses AC technology, features a slim aluminum body, with a translucent diffuser for reduced glare. EnVisions disk can be mounted into a 30 or a 40 J-Box giving it versatility and is a great solution that offers energy efficient and streamline design.

### Applications:

- Residential Lighting
- Commercial Lighting
- Recessed Lighting
- General Indoor Lighting

### Product Information:

- Damp rated or wet rated (with silicone)
- Fits in standard 30 or 40 J-Box Applications
- Driver: AC Driverless technology 120V
- High CRI>90 with CA Title 24/CEC/T20 Compliance
- Dimmable: Compatible with most dimmers down to 5% including Lutron DVCL-153P

See Quick Ship Models & Complete List of Available SKU's on Page 3

LED - CDSK	Size/Wattage	Color	Trim	Accessories	EMB	Warranty
1	2	3	4	5	6	7

1	Product	2	Size/Wattage	3	Color	4	Trims	5	Accessories	6	EMB	7	Warranty
LED-CDSK	Cusp Disk	4-10W	4 Inch, 10W (650lm)	27K	2700K	WH	White (incl.)	(Blank)	None	(Blank)	None	(Blank)	5 Year (incl.)
		6-15W	6 Inch, 15W (1,000lm)	30K	3000K	BZ	Bronze	CDSK- 4-CLIP	4" Recessed Can Converter	EMB	Emergency Backup (External 25W)	10YR	10 Year
		8-18W	8 Inch, 18W (1,400lm)	40K	4000K	BN	Brushed Nickel	CDSK- 6-CLIP	6" Recessed Can Converter				
				50K	5000K	BLK	Black						
				TRI	3CCT Selectable 30K / 40K / 50K		BZ, and BN only available for 4" and 6" TRI and 6" 30K BLK only available in 6" TRI						
					Single Color Temperatures only available in 6-15W fixtures								

Specs and model numbers are subject to change with or without notice

**FEATURES****Reliable LED Chips**

Brighter with lower consumption and longevity, consistent color, and reliability

**AC Technology**

Driverless AC technology allows for a unique and slim, low profile design

**High Quality Lens**

PMMA Lens to ensure no cracking, yellowing, or lumen deficiency

**Waterproofing**


Plastic lens creates IP65 waterproofing. Make your fixture IP67 by adding silicone around the lens

**Heat Dissipation**


Made out of thick aluminum die-cast to withstand harsh conditions and dissipate heat

**Driverless**

Slim profile without a driver sticking in the back of the fixture allows for universal installation



### OUR MODELS



#### White

LED-CDSK-4-10W-TRI-WH  
LED-CDSK-6-15W-27K  
LED-CDSK-6-15W-30K  
LED-CDSK-6-15W-40K  
LED-CDSK-6-15W-50K  
LED-CDSK-6-15W-TRI  
LED-CDSK-8-18W-TRI



#### Bronze

LED-CDSK-4-10W-TRI-BZ  
LED-CDSK-6-15W-30K-BZ  
LED-CDSK-6-15W-TRI-BZ



#### Black

LED-CDSK-6-15W-TRI-BLK



#### Brushed Nickel

LED-CDSK-4-10W-TRI-BN  
LED-CDSK-6-15W-30K-BN  
LED-CDSK-6-15W-TRI-BN

### APPLICATIONS



30 Round  
(Plastic)  
J-Box



30 Square  
(Plastic)  
J-Box



40 Round  
(Metal)  
J-Box



40 Square  
(Metal)  
J-Box




40 Square  
(Fire Rated)  
J-Box

### DIMMER COMPATIBILITY


Brand	Series	Model	Load	Dimmability
Lutron	Ariadni	AYCL-153P	150W	OK
	Diva	DV-600PR	600W	OK
	Diva	DVCL-153P	150W	OK
	Maestro	MACL-153MH	600W	OK
	Maestro Wireless	MRF2-6CL	150W	OK
	Rotary	D-600P	600W	OK
	Electronic(ELV)	NTELV-300P	600W	OK
	Skylark	S-600P	600W	OK
	Skylark Contour	CT-600P	600W	OK
	Skylark Contour	CTCL-153P	150W	OK
	Toggler	TG-600P	600W	OK
	Toggler	TGCL-153P	150W	OK
Leviton	Sureslide	6633	600W	OK
	Sureslide Decora	6674	600W	OK
	Trimatron	6672	600W	OK
	Sureslide	6613	600W	OK
Legrand	Adorne	DLV703	700W	OK
	Harmony	H703PTW	700W	OK
Cooper	Aspire	9530	1000W	OK
	Devine	DAL03P	300W	OK

### DIMENSIONS


*All Cusp Disk's  
feature a slim  
1" thickness*



4" Disk (4.4" Width)



6" Disk (7.4" Width)



8" Disk (9.4" Width)