

# SLIMLINE DISK ROUND



The new EnVision SlimLine disk can be used in new construction and remodel applications. With the integration of edge-lit technology, driverless AC LED technology, and full dimmability, EnVision has created the most advanced disk on the market. It features two disk sizes (round or square), a slim width of 5/8", and is designed to be a one of a kind in the LED market.

### Applications:

- Remodel and New Construction
- J-Box Installation: 30 or 40
- Recessed Can: 4" Can (5" model only) or 6" (7" model only)

### Product Information:

- Bracket: Adjustable bracket enables various installation
- AC Technology: slim and easy to install without a driver
- Edge-lit Technology: reduces glare with even light distribution
- Rated 50,000 hours life with a 5 year limited warranty
- Dimmable: Compatible with most dimmers down to 5% including Lutron DVCL-153P
- Wet Location Listed as a ceiling mount

**THE SLIMLINE DISK**  
ROUND. ARCHITECTURAL.

| Type  | Model                | Volt | Watt | Lumen | Color | CRI | Beam Spread |
|-------|----------------------|------|------|-------|-------|-----|-------------|
| 5INCH | LED-SLDSK-5R-10W-30K | 120V | 10W  | 650   | 3000K | >90 | 120°        |
| 5INCH | LED-SLDSK-5R-10W-40K | 120V | 10W  | 650   | 4000K | >90 | 120°        |
| 5INCH | LED-SLDSK-5R-10W-50K | 120V | 10W  | 650   | 5000K | >90 | 120°        |
| 7INCH | LED-SLDSK-7R-15W-30K | 120V | 15W  | 1000  | 3000K | >90 | 120°        |
| 7INCH | LED-SLDSK-7R-15W-40K | 120V | 15W  | 1000  | 4000K | >90 | 120°        |
| 7INCH | LED-SLDSK-7R-15W-50K | 120V | 15W  | 1000  | 5000K | >90 | 120°        |


# SLIMLINE DISK 5" AND 7"

## Accessories



Universal J-Box Kit

## Optional Accessories



6" Recessed Can Retrofit



4" Recessed Can Retrofit



E26 Base Converter

## APPLICATIONS



30 Round (plastic)  
J-Box



30 Square (plastic)  
J-Box



40 Round (metal)  
J-Box



40 Square (metal)  
J-Box



40 Square (fire rated)  
J-Box




4" LED Can  
Remodel or  
New Construction  
(5" Model Only)




5/6" LED Can  
Remodel or  
New Construction  
(7" Model Only)

Contact EnVision LED Lighting, Inc for further questions on compatibility. Fits most 30 or 40 J-Box and 4" or 5/6" cans.


## DIMENSIONS




5" Round



7" Round




5" Square



7" Square


# SLIMLINE DISK 5" AND 7"

5" Polar Graph



Maximum Candela = 209.75 Located At Horizontal Angle = 247.5, Vertical Angle = 2  
 # 1 - Vertical Plane Through Horizontal Angles (247.5 - 67.5) (Through Max. Cd.)  
 # 2 - Horizontal Cone Through Vertical Angle (2) (Through Max. Cd.)

7" Polar Graph



Maximum Candela = 354.8 Located At Horizontal Angle = 292.5, Vertical Angle = 2  
 # 1 - Vertical Plane Through Horizontal Angles (292.5 - 112.5) (Through Max. Cd.)  
 # 2 - Horizontal Cone Through Vertical Angle (2) (Through Max. Cd.)

## FEATURES

### Multiple Color Options

Choose from 2700k, 3000k, 4000k, 5000k.

### PC Lens (No UV)

Prevents the lens from turning yellow after a period of time.

### Edge-Lit Technology

Eliminates glare.



### Wide Beam Spread

Cover 120 degrees.

### Durable Construction

High quality aluminum trim and heat sync.

### DIMMER COMPATIBILITY

| Brand   | Series           | Model      | Load      | Dimmability |
|---------|------------------|------------|-----------|-------------|
| Lutron  | Ariadni          | AYCL-153P  | 150W      | OK          |
|         | Diva             | DV-600PR   | 600W      | OK          |
|         | Diva             | DVCL-153P  | 150W      | OK          |
|         | Maestro          | MACL-153MH | 600W      | OK          |
|         | Maestro Wireless | MRF2-6CL   | 150W      | OK          |
|         | Rotary           | D-600P     | 600W      | OK          |
|         | Electronic(ELV)  | NTELV-300P | 600W      | OK          |
|         | SkyLark          | S-600P     | 600W      | OK          |
|         | SkyLark Contour  | CT-600P    | 600W      | OK          |
|         | SkyLark Contour  | CTCL-153P  | 150W      | OK          |
| Leviton | Toggle           | TG-600P    | 600W      | OK          |
|         | Toggle           | TGCL-153P  | 150W      | OK          |
|         | Sureslide        | 6633       | 600W      | OK          |
|         | Sureslide Decora | 6674       | 600W      | 20-100%     |
| Leviton | Trimatron        | 6602       | 600W      | 20-100%     |
|         | ILLVMATECH       | IPL06      | 600W      | OK          |
|         | Legrand          | Adorne     | ADTP703TU | 700W        |
| Legrand | Harmony          | H703PTW    | 700W      | OK          |
|         | Cooper           | Aspire     | 9540      | 1000W       |
| Cooper  | Devine           | DAL06P     | 300W      | OK          |