

Project: _____
 Part#: _____
 Type: _____

Slimline Disk

The new EnVision SlimLine disk can be used in new construction and remodel applications. With the integration of edge-lit technology, driverless AC LED technology, and full dimmability, EnVision has created the most advanced disk on the market. It features two disk sizes (round or square), a slim width of 5/8", and is designed to be a one of a kind in the LED market.

Applications:

- Remodel and New Construction
- J-Box Installation: 30 or 40
- Recessed Can: 4" Can (5" model only) or 6" (7" model only)

Product Information:

- Bracket: Adjustable bracket enables various installation
- AC Technology: slim and easy to install without a driver
- Edge-lit Technology: reduces glare with even light distribution
- Rated 50,000 hours life with a 5 year limited warranty
- Dimmable: Compatible with most dimmers down to 5% including Lutron DVCL-153P
- Wet Location Listed as a ceiling mount
- 'TRI' model can switch between 3000k, 4000k, & 5000k color temperatures (available for 5" & 7" fixtures only)




LED-SLDSK - *Size/Shape/Watts* **_** *Color* **_** *Trims* **_** *Converter* **_** *EMB* **_** *Warranty*

1 **2** **3** **4** **5** **6** **7**

1 Product	2 Size/Shape/Watts	3 Color	4 Trims	5 Converter	6 EMB	7 Warranty
LED-SLDSK	5R-10W 5" Round, 10W (650lm) 5SQ-10W 5" Square, 10W (650lm) 7R-15W 7" Round, 15W (1000lm) 7SQ-15W 7" Square, 15W (1000lm) 12R-22W 12" Round, 22W (1450lm) 12SQ-22W 12" Square, 22W (1450lm)	30K 3000K 40K 4000K 50K 5000K TRI Variable (5" & 7" only)	WHT White (incl.) BLK Black BZ Bronze BN Brushed Nickel	4-RK 4" Recessed Can Converter 6-RK 6" Recessed Can Converter	Emergency Backup (for 7" Round Only)	5YR 5 Year (incl.) 10YR 10 Year

DIMENSIONS




DIMMER COMPATIBILITY

Brand	Series	Model	Load	Dimmability
Lutron	Ariadni	AYCL-153P	150W	OK
	Diva	DV-600PR	600W	OK
	Diva	DVCL-153P	150W	OK
	Maestro	MACL-153MH	600W	OK
	Maestro Wireless	MRF2-6CL	150W	OK
	Rotary	D-600P	600W	OK
	Electronic(ELV)	NTElv-300P	600W	OK
	Skylark	S-600P	600W	OK
	Skylark Contour	CT-600P	600W	OK
	Skylark Contour	CTCL-153P	150W	OK
	Toggle	TG-600P	600W	OK
Toggle	TGCL-153P	150W	OK	
Leviton	Sureslide	6633	600W	OK
	Sureslide Decora	6674	600W	OK
	Trimatron	6672	600W	OK
	Sureslide	6613	600W	OK
Legrand	Adorne	DLV703	700W	OK
	Harmony	H703PTW	700W	OK
Cooper	Aspire	9530	1000W	OK
	Devine	DAL03P	300W	OK


PHOTOMETRICS

5" Polar Graph



Maximum Candela = 212.42 Located At Horizontal Angle = 270, Vertical Angle = 1
 # 1 - Vertical Plane Through Horizontal Angles (270 - 90) (Through Max. Cd.)
 # 2 - Horizontal Cone Through Vertical Angle (1) (Through Max. Cd.)

7" Polar Graph



Maximum Candela = 317.89 Located At Horizontal Angle = 10, Vertical Angle = 1
 # 1 - Vertical Plane Through Horizontal Angles (10 - 190) (Through Max. Cd.)
 # 2 - Horizontal Cone Through Vertical Angle (1) (Through Max. Cd.)

CLIP-ON TRIMS



ACCESSORIES



SLDSK-EMB
Emergency Backup

FIXTURE, TRIM, & ACCESSORY REFERENCE TABLES

Fixture Model	Voltage	Watts	Lumens	Color	CRI
LED-SLDSK-5R-10W-30K	120V	10w	650	3000k	>90
LED-SLDSK-5R-10W-40K	120V	10w	650	4000k	>90
LED-SLDSK-5R-10W-50K	120V	10w	650	5000k	>90
LED-SLDSK-5R-10W-TRI	120V	10w	650	Variable	>90
LED-SLDSK-7R-15W-30K	120V	15w	1000	3000k	>90
LED-SLDSK-7R-15W-40K	120V	15w	1000	4000k	>90
LED-SLDSK-7R-15W-50K	120V	15w	1000	5000k	>90
LED-SLDSK-7R-15W-TRI	120V	15w	1000	Variable	>90
LED-SLDSK-12R-22W-30K	120V	22w	1450	3000k	>90
LED-SLDSK-12R-22W-40K	120V	22w	1450	4000k	>90
LED-SLDSK-12R-22W-50K	120V	22w	1450	5000k	>90
LED-SLDSK-5SQ-10W-30K	120V	10w	650	3000k	>90
LED-SLDSK-5SQ-10W-40K	120V	10w	650	4000k	>90
LED-SLDSK-5SQ-10W-50K	120V	10w	650	5000k	>90
LED-SLDSK-7SQ-15W-30K	120V	15w	1000	3000k	>90
LED-SLDSK-7SQ-15W-40K	120V	15w	1000	4000k	>90
LED-SLDSK-7SQ-15W-50K	120V	15w	1000	5000k	>90
LED-SLDSK-12SQ-22W-30K	120V	22w	1450	3000k	>90
LED-SLDSK-12SQ-22W-40K	120V	22w	1450	4000k	>90
LED-SLDSK-12SQ-22W-50K	120V	22w	1450	5000k	>90

Trim Model	Description
SLDSK-5R-TRIM-BLK	Black 5" Round Trim
SLDSK-5R-TRIM-BRZ	Bronze 5" Round Trim
SLDSK-5R-TRIM-BNI	Brushed Nickel 5" Round Trim
SLDSK-7R-TRIM-BLK	Black 7" Round Trim
SLDSK-7R-TRIM-BRZ	Bronze 7" Round Trim
SLDSK-7R-TRIM-BNI	Brushed Nickel 7" Round Trim

Accessory Model	Description
SLDSK-4"-RK	4" Recessed Can Converter
SLDSK-6"-RK	6" Recessed Can Converter
SLDSK-EMB	Emergency Backup