

Project: \_\_\_\_\_  
 Part#: \_\_\_\_\_  
 Type: \_\_\_\_\_

# 5"/7"/12"15" Slimline Disk

The new EnVision SlimLine disk can be used in new construction and remodel applications. With the integration of edge-lit technology, driverless AC LED technology, and full dimmability, EnVision has created the most advanced disk on the market. It features two disk sizes (round or square), a slim width of 5/8", and is designed to be a one of a kind in the LED market.



### Applications:

- Remodel and New Construction
- J-Box Installation: 30 or 40
- Recessed Can: 4" Can (5" model only) or 6" (7" model only)

### Product Information:

- Bracket: Adjustable bracket enables various installation
- AC Technology: slim and easy to install without a driver
- Edge-lit Technology: reduces glare with even light distribution
- Rated 50,000 hours life with a 5 year limited warranty
- Dimmable: Compatible with most dimmers down to 5% including Lutron DVCL-153P
- Wet Location Listed as a ceiling mount
- 'TRI' model can switch between 3000k, 4000k, & 5000k color temperatures (available for 5" & 7" fixtures only)
- 15W EMB with a full lumen output for 90 minutes

LED	Product	Size/Shape/Watts	Color	Trims	Driver	Converters	EMB	Warranty
	1	2	3	4	5	6	7	8

1	Product	2 Size/Shape/Watts	3 Color	4 Trims	5 Driver	6 Converter	7 EMB	8 Warranty
SLDSKR	5/7/12/15" Round Disc	5-10W 7-15W 12-22W 15-30W	30K 3000K TRI 30/40/50K (30K Available Only in 5", 7", and 12")	WHT White (incl.) BLK Black BZ Bronze BN Brushed Nickel	Blank 120V (incl.) 0/10V 120-277V (0/10V Available Only in 5" and 7")	4-RK 4" Recessed Can Converter 6-RK 6" Recessed Can Converter	(Blank) None EMB Emergency Backup	(Blank) 5 Yr (incl.) 10YR 10 Yr

Specs and model numbers are subject to change with or without notice

**FEATURES**

**Edge-Lit Panel Technology**

*Uniform, diffuse, shadowless light*

**Easy-Mount Spring Clips**


*Allows tool-less attachment to included mounting bracket*

**High-Quality Lens**


*Polycarbonate lens will not yellow or deform over time*

**Integrated AC Driver**

*Easily mount into existing 30/40 j-box*




**DIMENSIONS**




**PHOTOMETRICS**

**5" Polar Graph**



Maximum Candela = 212.42 Located At Horizontal Angle = 270, Vertical Angle = 1  
 # 1 - Vertical Plane Through Horizontal Angles (270 - 90) (Through Max. Cd.)  
 # 2 - Horizontal Cone Through Vertical Angle (1) (Through Max. Cd.)

**7" Polar Graph**




Maximum Candela = 317.89 Located At Horizontal Angle = 10, Vertical Angle = 1  
 # 1 - Vertical Plane Through Horizontal Angles (10 - 190) (Through Max. Cd.)  
 # 2 - Horizontal Cone Through Vertical Angle (1) (Through Max. Cd.)

### CLIP-ON TRIMS



### ACCESSORIES



**SLDSK-7R-EMB**  
7" Emergency Backup Module



**LED-EMB-25W-HV**  
Emergency Backup for all sizes

### FIXTURE, TRIM, & ACCESSORY REFERENCE TABLES

Fixture Model	Voltage	Watts	Lumens	Color	CRI
LED-SLDSKR-5-10W-30K	120V	10w	650	3000k	>90
LED-SLDSKR-5-10W-TRI	120V	10w	650	30/40/50K	>90
LED-SLDSKR-7-15W-30K	120V	15w	1000	3000k	>90
LED-SLDSKR-7-15W-TRI	120V	15w	1000	30/40/50K	>90
LED-SLDSKSQ-5-10W-30K	120V	10w	650	3000k	>90
LED-SLDSKSQ-7-15W-30K	120V	15w	1000	3000k	>90

Trim Model	Description
SLDSKR-5-TRIM-BLK	Black 5" Round Trim
SLDSKR-5-TRIM-BRZ	Bronze 5" Round Trim
SLDSKR-5-TRIM-BNI	Brushed Nickel 5" Round Trim
SLDSKR-7-TRIM-BLK	Black 7" Round Trim
SLDSKR-7-TRIM-BRZ	Bronze 7" Round Trim
SLDSKR-7-TRIM-BNI	Brushed Nickel 7" Round Trim
SLDSKR-12-TRIM-BLK	Black 12" Round Trim
SLDSKR-12-TRIM-BRZ	Bronze 12" Round Trim
SLDSKR-12-TRIM-BNI	Brushed Nickel 12" Round Trim

Accessory Model	Description
SLDSK-4"-RK	4" Recessed Can Converter
SLDSK-6"-RK	6" Recessed Can Converter
SLDSK-7R-EMB	7" Emergency Backup Module (Compatible with 7" ONLY)
LED-EMB-25W-HV	Emergency Backup for all sizes

### DIMMER COMPATIBILITY

Brand	Series	Model	Load	Dimmability
Lutron	Ariadni	AYCL-153P	150W	OK
	Diva	DV-600PR	600W	OK
	Diva	DVCL-153P	150W	OK
	Maestro	MACL-153MH	600W	OK
	Maestro Wireless	MRF2-6CL	150W	OK
	Rotary	D-600P	600W	OK
	Electronic(ELV)	NTELV-300P	600W	OK
	Skylark	S-600P	600W	OK
	Skylark Contour	CT-600P	600W	OK
	Skylark Contour	CTCL-153P	150W	OK
Leviton	Sureslide	6633	600W	OK
	Sureslide Decora	6674	600W	OK
	Trimatron	6672	600W	OK
	Sureslide	6613	600W	OK
Legrand	Adorne	DLV703	700W	OK
	Harmony	H703PTW	700W	OK
Cooper	Aspire	9530	1000W	OK
	Devine	DAL03P	300W	OK