

Low Voltage: In-Ground Well Light

Aluminum Housing— Integrated LED RGB + 5-CCT



BZ



BL

Detail Specifications:

- Finish: Bronze or Black
- Housing: Aluminum
- LED Integrated
- Power: 5W
- Lumens: 350
- Beam Angle: 60°
- IP Rating: Wet Location IP65
- Lens: Flat Open Lens

Applications:

- Landscape
- Walkways & Pathways
- Driveways
- Hospitality, Multi-Family
- Outdoor Corridors
- General Outdoor Lighting
- Residential, Commercial

Product Information:

- Heat resistant glass lens
- Fully adjustable knuckle for precise control
- Water tight silicone ring for waterproofing
- Drive over rated
- Packaging: Retail color box
- Master box quantity: 24

Driver Options:

- Compatible with Low Voltage Drivers
 - 12-24V AC/DC
- Max load should not exceed more than 80% of the transformer wattage

Mounting & Installations:

- Wire: 3' (36") SPT-1W 20 gauge wire lead

Warranty:

- 3 Year Limited Warranty

Models

LED-IGL-FL-5W-RGB+5CCT-ALM-BZ-LV

Bronze Finish

LED-IGL-FL-5W-RGB+5CCT-ALM-BL-LV

Black Finish

Multi-Top Transformers

WMT-LV-150W-SS

WMT-LV-300W-SS

WMT-LV-600W-SS


Specs and model numbers are subject to change with or without notice. Customization of product is available.



17 SCENE OPTIONS

2700K	
3000K	
3500K	
4000K	
5000K	
WHITE	
RED	
GREEN	
BLUE	
ORANGE	
PURPLE	
CYAN	
RED/GREEN/BLUE • 2 Second Smooth Color Change	
RED/GREEN/BLUE • 2 Second Flash Color Change	
ALL COLORS • 2 Second Smooth Color Change	
ALL COLORS • 2 Second Flash Color Change	
ALL COLORS • 2 Second Smooth Color Change + 2 Second Flash Color Change	
OFF	

DIMENSIONS



ACCESSORIES



WMT-LV-150W-SS
WMT-LV-300W-SS
WMT-LV-600W-SS

Model	Voltage	Watts	Lumens	Color
LED-IGL-FL-5W-RGB+5CCT-ALM-BZ-LV	12-24V AC/DC	5w	350	27/30/40/50k+RGB
LED-IGL-FL-5W-RGB+5CCT-ALM-BL-LV	12-24V AC/DC	5w	350	27/30/40/50k+RGB

Transformers

Model	Voltage	Watts
WMT-LV-150W-SS	12,13,14,15V	150w
WMT-LV-300W-SS	12,13,14,15V	300w
WMT-LV-600W-SS	12,13,14,15V	600w