

WALL LIGHT

Project

Schedule

Date

Notes

DESCRIPTION

naturaLED® Wall Lights come in 10-watt to replace your existing incandescent, saving up to 90% of energy. Super energy efficient and lasts up to 50,000+ hours average life. naturaLED® wall lights are an ideal lighting solution for security lights, both residential, commercial and many other outdoor applications.



FEATURES

- Energy Star Qualified
- UL Wet
- Up to 80% energy savings
- Instant on
- Light weight
- Contains no mercury or lead
- 50,000 hrs rated average life
- Input line voltage: 120V, 120-277V
- Power Factor: >0.9
- THD: <20%
- Beam Angle: Flood
- Operating temperature: -22°F - 122°F
- Finish: Black / White / Nickel

APPLICATIONS

- Security Lighting
- Accent Lighting
- Residential Lighting
- Outdoor Lighting
- Wall Lighting


WARRANTY

- 5 Year Warranty

SPECIFICATIONS


FXDWS - 10W

Weight: 1.54-lbs



PHOTOMETRICS CHART



DWS - up/down Wall Sconce (10W)



Illuminance at a Distance			
	Center Beam fc	Beam Width	
17.0ft	0.02 fc	7.9 ft	12.8 ft
34.0ft	0.00 fc	15.8 ft	25.5 ft
51.0ft	0.00 fc	23.8 ft	38.3 ft
68.0ft	0.00 fc	31.7 ft	51.1 ft
85.0ft	0.00 fc	39.6 ft	63.8 ft
102.0ft	0.00 fc	47.5 ft	76.6 ft

■ Vert. Spread: 26.2°
■ Horiz. Spread: 41.2°

ORDERING

Watts (W)	Ordering Code	Description	Color Temp (K)	Lumens (lm)	Equiv. Wattage (W)	Style	Beam Angle	Color	Voltage	Wet	ES
 <p>Up/Down Wall Sconce (Black)</p>											
10	7026	LED-FXDWS10/830/BK	3000K	700	90	Up/down Wall Sconce	38	Black	120V	•	•
10	7027	LED-FXDWS10/850/BK	5000K	700	90	Up/down Wall Sconce	38	Black	120V	•	•
 <p>Up/Down Wall Sconce (White)</p>											
10	7068	LED-FXDWS10/830/WH	3000K	700	90	Up/down Wall Sconce	38	White	120V	•	•
10	7069	LED-FXDWS10/850/WH	5000K	700	90	Up/down Wall Sconce	38	White	120V	•	•